

## DAFTAR PUSTAKA

- Ambarwati, 2007. Kajian Actinomycetes yang Berpotensi Menghasilkan Antibiotika dari Rhizosfer Putri Malu (*Mimosa pudica* L) dan Kucing Kucingan (*Acalypha Indica* L). *Jurnal Sains & Teknologi*, ISSN : 1411-5174, vol.8.No.1.
- Ambarwati dan Trisnawati, A., G, 2009. Isolasi Actinomycetes dari Tanah Sawah sebagai Penghasil Antibiotik. *Jurnal Sains & Teknologi*, ISSN 1411-5174, Vol. 10, NO. 2.
- Ambarwati, Retno S., dan Darnoto S., 2009. Uji Aktivitas Isolat Actinomycetes dari Tanah Pekarangan terhadap *Escherichia coli* dan *Bacillus subtilis*. *Jurnal Motorik*, ISSN 1907-218X, Vol. 4, No. 8.
- Ambarwati, C.J. Soegihardjo dan Sembiring L., 2010. Isolasi dan Identifikasi Streptomycetes dari Rizosfer Jagung (*Zea mays* L.) yang berpotensi sebagai Penghasil Antibiotik. *Jurnal Biota* Vo. 15, No. 1., ISSN 0853-8670. *Terakreditasi Dikti No. 43/DIKTI/Kep/2008*
- Ambarwati, A., Sembiring L., dan C.J. Soegihardjo, 2012. Antibiotic Produced by Streptomycetes Associated with Rhizosphere of Purple Nut Sedge (*Cyperus rotundus* L.) in Surakarta, Indonesia. *African Journal of Microbiology Research* Vol. 6 No. 1, 52-57
- Bais, H. P., Weir, T. L., Perry, L. G., Gilroy, S., and Vivanco, J. M. 2006. The Role of Exudates in Rizosfer Interactions with Plants and Other Organisms. *The Annual Review of Plant Biology*, 57 : 233-266.
- Basil, A. J., Strap, J. L., Knotek-Smith, H. M., and Crawford, D. L. 2004. Studies on The Microbial Populations of The Rizosfer of Big Sagebrush (*Artemisia tridentata*). *Journal of Industrial Microbiology & Biotechnology*, 31 (6) : 278-288
- Bharti A., Kumar V., Gusain O., and Bisht G., S., 2010. Antifungal Activity of Actinomycetes Isolated From Garhwal Region. *Journal of Sci. Engg. & Tech. Mgt.* Vol 2 (2): 3-9.
- Budiyanto, M. A. K. 2004. *Mikrobiologi Terapan*. UMM Press, Malang.
- Djarmiko, H. A., Arwiyanto, T., Hadisutrisno, B., and Sunarminto, B. H. 2007. Potensi Tiga Genus Bakteri dari Rizosfer Tanaman sebagai Agensia Pengendali Hayati Penyakit Lincat. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 9 (1) : 40-47.

- Gesheva, V. 2002. Rizosfer Microflora of Some Citrus as a Source of Antagonistic Actinomycetes. *European Journal of Soil Biology*, 38 (1) : 85-88.
- Hall, V., Collins, M. D., Hutson, R., Inganas, E., Falsen, E. and Duerden, B. I. 2003. *Actinomycetes vaccimaxillae* sp. nov., from the Jaw of a Cow. *International Journal of Systematic and Evolutionary Microbiology*, 53 : 603-606.
- Hassanin, S. M., El-Mehalawy, A. A., Hassanin, N. M., and Zaki, S. A. 2007. Induction of Resistance and Biocontrol of Rhizoctonia in Cotton Damping-off Disease by Rizosfer Bacteria and Actinomycetes. *The Internet Journal of Microbiology*, 3 (2).
- Hozzein, W.N and Goodfellow, M., 2007. *Streptomyces synnematoformans* sp. Nov., a novel actinomycete isolated from a sand dune soil in Egypt. *International Journal of Systematic and Evolutionary Microbiology* Vo. 57, No. 9 : 2009-2013.
- Kim, H. J., Lee, S. C., and Hwang, B. K., 2006. *Streptomyces cheonanensis* sp. Nov., a novel streptomyces with antifungal activity. *International Journal of Systematic and Evolutionary Microbiology* Vo. 56, No. 8 : 471-475.
- Korn-Wendisch, F., and Kutzner, H. J. 1992. *The Family Streptomycetaceae*. In *The Prokaryotes, Second Edition. A Handbook on the Biology of Bacteria : Ecophysiology, Isolation, Identification, Applications*. (A. Balows, H. G. Truper, M. Dworkin, W. Harder, & Karl-Heinz Schleifer. Eds). Springer-Verlag, New York, Berlin, Heidelberg, London, Paris, Tokyo, Hong Kong, Barcelona, and Budapest.
- Lestari, Y. 2006. Identification of Indegenous *Streptomyces spp.* Producing Antibacterial Compounds. *Jurnal Mikrobiologi Indonesia*, 11 (2) : 99-101.
- Lo, C. W., Lai, N. S., Cheah, H-Y., Wong, N. K. I. and Ho, C. C. 2002. Actinomycetes Isolated From Soil Samples From The Crocker Range Sabah. *ASEAN review of Biodiversity and Environmental Conservation (ARBEC)*.
- Madigan, M. T., Martinko, J. M., and Parker, J. 2003. *Brock Biology of Microorganisms*. Tent Edition. Prentice Hall, USA.
- Nedialkova, D. and Naidenova, M. 2005. Screening the Antimicrobial Activity of *Actinomycetes* Strains Isolated from Antarctica. *Journal of Culture Collections*, 4 : 29-35.
- Nurkanto A., 2007. Identifikasi Actinomycetes Tanah Hutan Pasca Kebakaran Bukit Bangkirai Kalimantan Timur dan Potensinya sebagai Pendegradasi Sellulosa dan Pelarut Fosfat. *Jurnal Biodiversitas* Vol. 8, No. 4: 314-319.

- Oskay, M., Tamer, A. U. and Azeri, C. 2004. Antibacterial Activity of some Actinomycetes Isolated from Farming Soil of Turkey. *African Journal of Biotechnology*, 3(9) : 441-446.
- Prescott, L. M., Harley, J. P., and Klein, D. A. 1999. *Microbiology*. Fourth Edition. WCB McGraw-Hill, Boston.
- Rahayu, T., Maryati, Sembiring, L., dan Soegihardjo, C. J. 2007. Isolasi dan Karakterisasi *Streptomyces* yang Berpotensi Antimikrobia dari Rizosfer Tumbuhan Tingkat Tinggi. *Kumpulan Ringkasan Hasil Penelitian Workshop Pemaparan Hasil Penelitian yang Dibiayai DP2M Dikti Tahun 2007*. UMS, Surakarta.
- Rao, N. S. S. 2001. *Soil Microbiology. Soil Microorganism and Plant Growth*. Fourth Edition. Science Publishers, Inc. Enfield (NH), USA
- Sembiring, L., Ward A. C. and Goodfellow, M. 2000. Selective Isolation and Characterisation of Members of the *Streptomyces violaceusniger* Clade Associated with the Roots of *Paraserianthes falcataria*. *Antonie van Leeuwenhoek*, 78 (3-4) : 353-366.
- Shirokikh, I. G., Zenova, G. M., Merzaeval, O. V., Lapygina, E. V., Bataloval, G. A., and Lysak, L. V. 2007. Actinomycetes in the Prokaryotic Complex of Rizosfer of Oat in a Soddypodzolic Soil. *Journal of Eurasian Soil Science*, 40 (2) : 158-162
- Sunaryanto, R., Marwoto, B., dan Matsuo, Y., 2010. Isolasi Actinomycetes Laut Penghasil Metabolit Sekunder yang Aktif terhadap Sel kanker A549. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan Vol. 5 No. 2*,
- Widayati, W. E. 2005. *Bakteri Endofit pada Tanaman Tebu (Solanum officinarum L.) Identifikasi dan Mekanisme Asosiasi*. Disertasi Program Pascasarjana Bioteknologi. UGM, Yogyakarta.
- Yusnizar. 2006. *Screening of Streptomyces sp. Isolated From Black Water Ecosystem and Antagonism Assay to Rhizoctonia solani and Helminthosporium oryza*. Diakses : 21 Desember 2001 <http://www.icbb.org/english/research/research12.htm>
- Zhao, X. Q, Li, W. J, Jiao, W. C, Li, Y., Yuan, W.J., Zhang, Y. Q, Klenk, H. P, Suh, J. W., Bai, F. W. 2009. *Streptomyces xinghaiensis* sp. nov., isolated from marine sediment. *International Journal of Systematic and Evolutionary Microbiology*, Vol. 59, No. 11 : 2870-2874.

Zhu, HH, Yao, Q, Yang, SZ, Li, ZK and Guo, J., 2011. *Streptomyces lacticiproducens* sp, nov., a lactic acid-producing streptomycete isolated from rhizosphere of tomato plants. *International Journal of Systematic and Evolutionary Microbiology*, Vol. 61, No. 1 : 35-39.