

DAFTAR PUSTAKA

- Adiwinata, N. (2001), *Senyawa oligomer stilben dari kulit batang Shorea leprosula Miq.*, Thesis Magister, Dep. Kimia, Program Pasca Sarjana ITB, Bandung
- Aisyah, S. (2005) : *Oligomer Resveratrol dari Kulit Batang Shorea platyclados (Dipterocarpaceae)*, Thesis Program Pascasarjana Intitut Teknologi Bandung, 31-72.
- Aminah, N.S., Achmad, S.A., Aimi, N., Ghisalberti, E.L., Hakim, E.H., Kitajima, M., Syah, Y.M., Takayama, H. (2002), Diptoindonesin A, a new C-glucoside of ϵ -viniferin from *Shorea seminis* (Diptocarpaceae), *Fitoterapia*, **73**, 501-507
- Aminah, N.S., Achmad, S.A., Hakim, E.H., Syah, Y.M., Ghisalberti, E.L., Juliawaty, L.D. (2002), (-)- α -Viniferin, suatu trimer stilbenoid dari kulit batang *Shorea seminis* V.S. (Dipterocarpaceae), *Prosiding Seminar Nasional Kimia*, 28-29 Mei 2002, Bandung, 117-112
- Aminah, N.S., Achmad, S.A., Hakim, E.H., Syah, Y.M., Ghisalberti, E.L., Juliawaty, L.D. (2003), Laevifonol, diptoindonesin A, dan ampelopsin A, tiga dimer stilbenoid dari kulit batang *Shorea seminis* V.Sl., *J. Matematika & Sains*, **8**, 31-34
- Ashton, P.S. (1983), Dipterocarpaceae. In C.G.G.J. Van Steenis [ed.], *Flora Malesiana*, Series 1, Spermatophyta, vol. 9, Martinus Nijhoff Publisers, The Hague
- Atun, S. (2004), *Fitokimia Beberapa Spesies Dipterocarpaceae Indonesia dari Genus Vatica, Anisoptera, Hopea, dan Dipterocarpus*, Disertasi, Dep. Kimia, Program Pasca Sarjana ITB, Bandung
- Bandaranayake, W.M., Gunasekera, S.P., Karunayake, S., Sotheeswaran, S., Sultanbawa, M.U.S. (1975), Chemical investigations of Ceylonese plants. 13. Terpenes of *Dipterocarpus* and *Doona* species, *Phytochemistry*, **14(9)**, 2043-2048
- Bokel, M., M.N.C. Diyasena, A.A.L. Gunatilaka, W. Kraus, S. Sotheeswaran (1988), Caliculatol, an antifungal resveratrol trimer from *Stemonoporus canaliculatus*, *Phytochemistry*, **27**, 377-380
- Crabbe, P., Ourrisson, G., Takahashi, T. (1958), Dipterocarpol I. Preparation of 8,14-dimethyl-18-nortestosterone, *Tetrahedron*, **3**, 279-302
- Cronquist, A. (1981), *An intergrated system of classification of flowering plant*, Columbia University Press, New York, 317-318
- Dai, J.R., Y.F. Hallock, J.H. Cardellina II, M.R., Boyd (1998), HIV-Inhibitory and cytotoxic oligostilbenes from the leaves of *Hopea malibato*, *J. Nat. Prod.*, **61**, 351-353
- Diaz, M.A., Ehret, C., Ourisson, G., Palmade, M., Patil, F., Pesnelle, P., Streith, J. (1966), Constituents of resins from Vietnamese Dipterocarpus, *Vietnamica Chimica Acta*, 79-85
- Diyasena, M.N.C., S. Sotheeswaran, S. Surendrakumar (1985), Balanocarpol, a new polyphenol from *Balanocarpus zeylanicus* (trimen) and *Hopea jucunda* (Thw.) (Dipterocarpaceae), *J. Chem. Soc. Perkin Trans. 1*, 1807-1809
- Geewananda, Y.A., P. Gunawardena, S. Sotheeswaran, M.U.S. Sultanbawa, S. Surendrakumar, P. Bladon (1986), Another antibacterial polyphenol, coppaliferol B, from *Vateria copallifera* (Dipterocarpaceae), *Phytochemistry*, **25**, 1498-1500
- Gupta, A.S., Dev, S. (1967), Higher isoprenoids. 1. Triterpenoids from the oleoresin of *Dipterocarpus pilosus*: hollongdione and dipterocarpollic acid, *Tetrahedron*, **27(4)**, 823-834

- Hakim, E.H. (2002), Oligostilbenoid dari tumbuh-tumbuhan Dipterocarpaceae, *Bull. Soc. Nat. Prod. Chem.*, **2**, 1-9
- Hegnauer, R. (1966), *Chemotaxonomie der pflanzen*, Band 4, Birkhauser Verlag Basel und Stuttgart, 31-40
- Heyne, K. (1987), *Tumbuhan berguna Indonesia*, Vol II, Balai Kehutanan Indonesia, Departemen Kehutanan, Jakarta, 1420
- Hirano, Y., R. Kondo, K. Sakai (2001), Compounds inhibitory to rat liver 5 α -reductase from tropical commercial wood species: resveratrol trimers from melapi (*Shorea sp.*) heartwood, *J. Wood. Sci.*, **47**, 308-312
- Hirano, Y., R. Kondo, K. Sakai (2003), Novel stilbenoid isolated from the heartwood of *Shorea laevifolia*, *Japan Wood Science*, **49**, 53-58
- Huang, K., Y. Wang, R. Li, M. Lin (2000), Five new stilbene dimers from the lianas of *Gnetum hainanense*, *J. Nat. Prod.*, **63**, 86-89
- Ikeda, T., Kitao, K. (1972), Terpenoids from *Dipterocarpus gracillis*. I. *Mokuzai Gakkaishi*, **18(6)**, 323-324
- Ikeda, T., Kitao, K. (1974), Terpenoids from *Dipterocarpus gracillis*. II. Structure of gracilol-A, -B, dan -C, *Mokuzai Gakkaishi*, **20(9)**, 460-466
- Ito, T., Akao, Y., Yi, H., Ohguchi, K., Matsumoto, K., Tanaka, T., Iinuma, M., Nozawa, Y. (2003) : Antitumor Effect of Resveratrol Oligomers Against Human Cancer Cell Lines and The Molecular Mechanism of Apoptosis Induced by Vaticaanol C, *Carcinogenesis*, **24(9)**, 1489-1497.
- Ito, T., T. Tanaka, K. Nakaya, M. Iinuma, Y. Takashashi, H. Naganawa, M. Ohyama, Y. Nakanishi, K.F. Bastow, K. Lee (2001-a) : A Novel Bridged Stilbenoid Trimer and Four Highly Condensed Stilbenoid Oligomers in *Vatica rassak*, *Tetrahedron*, **53**, 7309-7314.
- Ito, T., T. Tanaka, K. Nakaya, M. Iinuma, Y. Takashashi, H. Naganawa, M. Ohyama, Y. Nakanishi, K.F. Bastow, K. Lee (2001-b), A new resveratrol octamer, vateriaphenol A, in *Vateria indica*, *Tetrahedron letters*, **42**, 5909-5912
- Ito, T., T. Tanaka, M. Iinuma, K. Nakaya, Y. Takashashi, R. Sawa, J. Murata, D. Darnaedi, (2004), Two new resveratrol (=5-[(1E)-2-(4-hydroxyphenyl)ethenyl]-benzene-1,3-diol) tetramer with a tetrahydrofuran ring from *Dipterocarpus grandiflorus*, *Helvetica Chimica Acta*. **87**, 479-495
- Ito, T., T. Tanaka, Y. Ido, K. Nakaya, M. Iinuma, S. Riswan (2000-a), Stilbenoids isolated from stem bark of *Shorea hemsleyana*, *Chem. Pharm. Bull.* **48**, 1001-1005
- Ito, T., T. Tanaka, Y. Ido, K. Nakaya, M. Iinuma, S. Riswan (2000-b), Four new stilbenoid C-glucosides isolated from the stem bark of *Shorea hemsleyana*, *Chem. Pharm. Bull.* **48**, 1959-1963
- Jayuska, A. (2001), *Senyawa baru hasil degradasi ampelopsin E dan resveratrol oligomer lainnya dari kulit batang Shorea pinanga Scheff.*, Thesis, Program Pasca Sarjana ITB, Bandung
- Kajita, T., Koichi, K., Nakamura, K., Tachida, H., Wickneswari, R., Tsumura, Y., Yoshimaru, H., Yamazaki, T. (1998), Molecular Phylogeny of Dipterocarpaceae in Southeast Asia Based on Nucleotide Sequences of *matK*, *trnL* Intron, and *trnL-trnF* Intergenic Spacer Region in Chloroplast DNA, *Molecular Phylogenetic and Evolution*, **10(2)**, October, 202-209
- Kartawinata, K. (1983), *Jenis-jenis Keruing*, LIPI, Bogor Indonesia
- Kawabata, S. Ichikawa, Kurihara, H., M. Mishima, Mizutani, J., (1992), Oligostilbenes from *Carex kobomugi*, *Phytochemistry*, **30(2)**, 649-653

- Kirtany, J.K., Paknikar, S.K. (1971), Occurrence of $5\beta,7\beta,10\alpha$ -selina-3,11-diene in valencia orange peel, *Indian Journal of Chemistry*, **9(12)**, 1421
- Kitanaka, S., M. Takido, K. Mizoue, H. Kondo, S. Nakaike (1996), Oligomeric stilbenes from *Caragana chamlagu* Lamark root, *Chem. Pharm. Bull.*, **44**, 565-567
- Krishnamurty, H.G., Parkash, B., Parthasarathy, M.R., Seshadri, T.R. (1974), Chemical components of the heartwood of *Dipterocarpus macrocarpus*. Isolation of two new sesquiterpenes, dipterolone, and dipterol., *Indian Journal of Chemistry*, **12(5)**, 520-522
- Madhav, R., T.R. Seshadri, G.B.V. Subramanian (1967), Identity of the polyphenol of *Shorea* species with hopeaphenol (short communication), *Phytochemistry*, **6**, 1155-1156
- McLean, J., Watts, W.E. (1960), Extractives from the Dipterocarpaceae, *Journal of Organic Chemistry*, **25**, 1263
- Meyer, B. N., N.R. Ferrigni, J.E. Putnam, L.B. Jacobsen, D.E. Nichols, J.L. McLaughlin (1982), Brine shrimp : a convenient general bioassay for active plant constituents, *Planta medica*, **45**, 31-34
- Muharini, R. (2001), *Senyawa oligomer stilbenoid dari kulit batang Shorea guiso Blume*, Thesis, Program Pasca Sarjana ITB, Bandung
- Muhtadi (2007), *Fitokimia Beberapa Spesies Dipterocarpaceae Indonesia dari Genus Dipterocarpus (Keruing)*, Disertasi, Dep. Kimia, Program Pasca Sarjana ITB, Bandung
- Muhtadi, Hakim, E.H., Syah, Y.M., Juliawaty, L.D., Achmad, S.A., Said, I.M., Din, L.B. dan Latip, J. (2006-a) : Resveratrol Tetramers from *Dipterocarpus intricatus* and Cytotoxic Activity against Murine Leukemia P-388 Cells, *Collective Abstracts of the International Conference on Mathematics and Natural Sciences (ICMNS)*, ITB-Bandung, 29-30 November 2006.
- Muhtadi, Hakim, E.H., Syah, Y.M., Juliawaty, L.D., Achmad, S.A. dan Latip, J. (2006-b) : Pemisahan dan Karakterisasi Senyawa Oligostilbenoid dari Kulit Batang *Dipterocarpus hasseltii* (Dipterocarpaceae), *Alchemy*, Vol. 5 (1), Maret 2006, 8-15.
- Muhtadi, Hakim, E.H., Syah, Y.M., Juliawaty, L.D., Achmad, S.A. Latip, J., Ghisalberti, E.L. (2006-d) : Cytotoxic Resveratrol Oligomers from the Tree Bark of *Dipterocarpus hasseltii*, *Journal of Fitoterapia*, Vol. 77, *Issues 7-8*, December 2006, 550-555.
- Muhtadi, Hakim, E.H., Juliawaty, L.D., Din, L.B. dan Latip, J. (2006-c) : Lima Senyawa Oligostilbenoid dari Kulit Batang *Dipterocarpus hasseltii* dan Aktivitas Sitotoksiknya terhadap Sel Murin Leukemia P-388, *Bulletin of the Indonesian Society of Natural Products Chemistry*, Vol. 6 (1), January-June 2006, 19-26.
- Muhtadi, Hakim, E.H., Syah, Y.M., Juliawaty, L.D., Makmur, L., Achmad, S.A., Din, L.B. dan Latip, J. (2005) : Tiga Senyawa Oligostilbenoid dari Kulit Batang *Dipterocarpus retusus* Blume (Dipterocarpaceae), *Jurnal Matematika & Sains*, Vol. 10 (4), Desember 2005, 135-141.
- Mustapha, I. (2001), *Bergenin dan α -viniferin dua jenis senyawa fenol dari kulit batang tumbuhan Shorea stenoptera Burck. (Dipterocarpaceae)*, Thesis, Program Pasca Sarjana ITB, Bandung
- Newman, M.F., P.F. Burges, T.C. Whitmore (1999), *Pedoman identifikasi Pohon Dipterocarpaceae Pulau Kalimantan*, Prosea Indonesia, Bogor

- Noviany (2001), *Eksplorasi senyawa oligomer stilbenoid dari kulit batang Shorea multiflora Burck.*, Thesis, Program Pasca Sarjana ITB, Bandung
- Oshima, Y., Y. Ueno, K. Hisamichi, M. Takeshita (1993), Ampelopsin F and G, Novel bridged plant oligostilbenes from *Ampelopsis brevipedunculata* var. *hancei* roots (Vitaceae), *Tetrahedron*, **49**, 5801-5804
- Pryce, R.J., P. Langcake (1977), α -Viniferin: an antifungal resveratrol trimer from grapevines, *Phytochemistry*, **16**, 1452-1454
- Rao, G.S.K., Dev, S., Guha, P.C. (1952), Sesquiterpenes. IX. The maleic anhydride adduct, m. 180-182°, obtained from the essential oil of *Dipterocarpus indicus*, *J. Indian Chem. Soc.*, **29**, 598-603
- Richardson, D.P., Messer, A.C., Newton, B.A. (1991), Identification and preparation of antiinsectan dienols from *Dipterocarpus kerii* from tree resins, *Journal of Chemical Ecology*, **17(3)**, 663-685
- Saraswathy, A., K.K. Purushothaman, A. Patra, A.K. Dey, and A.B. Kundu (1992), Shoreaphenol from *Shorea robusta*, *Phytochemistry*, **31**, 2561-2562
- Savouret, J.F., Quesne, M. (2002) : Resveratrol and Cancer : A Review, *Biomed. Pharmacother.*, **56**, 84-87.
- Seo, E., H. Chai, H.L. Constant, T. Santisuk, V. Reutrakul, C.W.W. Beecher, N.R. Farnsworth, G.A. Cordell, J.M. Pezzuto, A.D. Kinghorn (1999), Resveratrol tetramer from *Vatica diospyroides*, *J. Org. Chem.*, **64**, 6976-6983
- Soerianegara, I., R.H.M.J. Lemmens (1994), *Timber trees: Major commercial timbers*, PROSEA, Bogor Indonesia
- Sotheeswaran, S., M.N.C. Diyasena, A.A.L. Gunatilaka, M. Bokel, W. Kraus (1987), Further evidence for the structure of vaticaffinol and a revision of its stereochemistry, *Phytochemistry*, **26**, 1505-1507
- Sotheeswaran, S., M.U.S. Sultanbawa, S. Surendrakumar, P. Bladon (1983), Polyphenol from Dipterocarp species copalliferol A and stemonoporol, *J. Chem. Soc., Perkin Trans. 1*, **4**, 699-702
- Sotheeswaran, S., V. Pasupati (1993), Distribution of resveratrol oligomers in plants, *Phytochemistry*, **32**, 1083-1092
- Sultanbawa, M.U.S., S. Surendrakumar, P. Bladon (1987), Distichol an antibacterial polyphenol from *Shorea disticha*, *Phytochemistry*, **26**, 799-801
- Sung, S.H., S.Y. Kang, K.Y. Lee, M.J. Park, J.H. Kim, J.H. Park, Y. Choong Kim, J. Kim, Y.C. Kim, J. Kim, Y.C. Kim (2002), (+)- α -Viniferin, a stilbene trimer from *Caragana chamlague*, inhibits acetylcholinesterase, *Biol. Pharm. Bull.*, **25**, 125-127
- Tanaka, T., T. Ito, K. Nakaya, M. Iinuma, Y. Takashashi, H. Naganawa, N. Matsuura, M. Ubukata (2000-b), Vaticanol D, a novel resveratrol hexamer isolated from *Vatica rassak*, *Tetrahedron Letters*, **41**, 7929-7932
- Tanaka, T., T. Ito, K. Nakaya, M. Iinuma, S. Riswan (2000-c), Oligostilbenoids in stem bark of *Vatica rassak*, *Phytochemistry*, **54**, 63-69
- Tanaka, T., T. Ito, Y. Ido, K. Nakaya, M. Iinuma, Y. Takashashi, H. Naganawa, S. Riswan (2000-a), Six new heterocyclic stilbene oligomers from stem bark of *Shorea hemsleyana*, *Heterocycles*, **55**, 729-740
- Tanaka, T., T. Ito, Y. Ido, K. Nakaya, M. Iinuma, and V. Chelladurai (2001), Hopeafuran and a C-glucosyl resveratrol isolated from stem wood of *Hopea utilis*, *Chem. Pharm. Bull.*, **49**, 785-787

- Tanaka, T., T. Ito, Y. Ido, T. K. Son, K. Nakaya, M. Iinuma, M. Ohyama, V. Chelladurai (2000-d), Stilbenoids in stem bark of *Hopea parviflora*, *Phytochemistry*, **53**, 1009-1014
- Tran, L.Q., Tran, K.Q. (1998), Study of the oleoresin of Dipterocarpaceae family. II. Extraction of dipterocarpol from the solid part, *Tap Chi Hoa Hoc*, **36(4)**, 85-86
- Tran, L.Q., Tran, K.Q. (1999), Study of the oleoresin of Dipterocarpaceae family. III. Synthesis of guaizulene, *Tap Chi Hoa Hoc*, **37(1)**, 79-81
- Tukiran, S. A. Achmad, E. H. Hakim, L. D. Juliawaty, K. Sakkai, Y. M. Syah (2003), Oligostilbenoids from *Shorea balangeran* Burck (Dipterocarpaceae), *Bull. Soc. Nat. Prod. Chem.*, **3**, 24-31
- Wang, J., Ding, J., Chen, Z., Yang, C. (1992), The sesquiterpenes and their seasonal variations in the oleoresin essential oils from two species of *Dipterocarpus* in Yunnan, *Yunnan Zhiwu Yanjiu*, **14(3)**, 337-342
- Wang, J., Li, X., Xiong, J., Ding, J., Yang, C. (1991), Chemical constituents of the resin from *Dipterocarpus tubinatus* in Yunnan, *Yunnan Zhiwu Yanjiu*, **13(3)**, 335-340
- Weber, J.F.F., I.A. Wahab, A. Marzuki, N.F. Thomas, A.A. Kadir, A. Hamid, A. Hadi, K. Awang, A.A. Latiff, P. Richomme, J. Delaunay (2001), Heimiol A, a new dimeric stilbenoid from *Neobalanocarpus heimii*, *Tetrahedron letters*, **42**, 4895-4897
- Zgoda-Pols, J.R., A.J. Freyer, L.B. Killmer, and J.R. Porter (2002), Antimicrobial resveratrol tetramers from the stem bark of *Vatica oblongifolia*, *J. Nat. Prod*, **65**, 1554-1559