

DAFTAR PUSTAKA

- Albright, C. L., Maddock, J. E. & Nigg, C. R. (2009) Increasing physical activity in postpartum multiethnic women in Hawaii: results from a pilot study. *BMC Womens Health*, 94.
- Amorose, A. J., Anderson-Butcher, D. & Cooper, J. (2009) Predicting changes in athletes' well being from changes in need satisfaction over the course of a competitive season. *Res Q Exerc Sport*, 80(2): 386-92.
- Ansara D, Cohen MM, Gallop R, Kung R & Schei B. (2005) Predictors of women's physical health problems after childbirth. *Psychosom Obstet Gynaecol*, 26(2): 115-25.
- Aston, M. L. (2002) Learning to be a normal mother: empowerment and pedagogy in postpartum classes. *Public Health Nurs*, 19(4): 284
- Atkinson, R.L., Atkinson R.C., Smitt, E.E. & Bem, D.J. (1993) Introduction to Psychology. Kusuma, W. (alih bahasa). Batam: Interaksara.
- Azwar, S. (2008) *Penyusunan Skala Psikologi*. Yogyakarta: Pustaka Pelajar, hal 109
- Azwar, S. (2010) *Reliabilitas dan Validitas*. Yogyakarta: Pustaka Pelajar
- Bahadoran, P., Abbasi, F., Yousefi, A. R. & Kargarfard, M. (2007) Evaluating the Effect of Exercise on the Postpartum Quality of Life. *Iranian Journal of Nursing and Midwifery Research Winter* 12(1).
- Bahadoran, P., Azimi, A., Valiyani, M. & Ahmadi, S. A. (2009) The relation between sosial support and postpartum physical health in mothers *IJNMR*, 14(1).
- Bandura, A. 1997. *Self efficacy: The exercise of kontrol*. WH Freeman Company. New york.
- Bandura, A., 1977. Theory of Behavioral Change. *Sych. Rev*. 84 (2), 191-215
- Bandura, A. (1999). Self-efficacy in changing societies. Cambridge: Cambridge University Press.
- Bansah, M., O'Brien, B. & Oware-Gyekye, F. (2009) Perceived prenatal learning needs of multigravid Ghanaian women. *Midwifery*, 25(3): 317-26.
- Barlow, J., & Coren, E. (2004). Parent-training programmes for improving maternal psychosocial health. *Cochrane Database of Systematic Reviews*, (1), CD002020
- Blanchard, N., Thacker, j.W., (2004), Effective Training: Systems, Strategies, and Practices, *Pearson Education International*, New Jersey
- Boothe, A. S., Brouwer, R. J., Carter-Edwards, L. & Ostbye, T. (2011) Unmet sosial support for healthy behaviors among overweight and obese postpartum women: results from the Active Mothers Postpartum Study. *J Womens Health (Larchmt)*, 20(11): 1677-85.
- BPS (2011), *Sragen Dalam Angka Tahun 2011*, Badan Pusat Statistik, Sragen
- Campbell D.T.. & Stanley J.C., (1972), Experimental and Quasi-Experimental design for Research, *Rand McNally & Company*, Chicago.
- Canavarro, M. C. & Pereira, M. (2011) Factor structure and psychometric properties of the European Portuguese version of a questionnaire to assess quality of life in HIV-infected adults: the WHOQOL-HIV-Bref. *AIDS Care*.

- Chang, P. J., Tseng, Y. C., Chuang, C. H., Chen, Y. C., Hsieh, W. S., Hurng, B. S., Lin, S. J. & Chen, P. C. (2010) Use of Sheng-Hua-Tang and health-related quality of life in postpartum women: a population-based cohort study in Taiwan. *Int J Nurs Stud*, 47(1): 13-9.
- Chang, S. R., Chen, K. H., Lin, H. H., Chao, Y. M. & Lai, Y. H. (2011) Comparison of the effects of episiotomy and no episiotomy on pain, urinary incontinence, and sexual function 3 months postpartum: a prospective follow-up study. *Int J Nurs Stud*, 48(4): 409-18.
- Cockell, S. J., Oates-Johnson, T., Gilmour, D. T., Vallis, T. M. & Turnbull, G. K. (2003) Postpartum flatal and Fecal Incontinence Quality-of-Life Scale: a disease- and population-specific measure. *Qual Health Res*, 13(8): 1132-44.
- Da Costa, D., Dritsa, M., Rippen, N., Lowenstein, I. & Khalife, S. (2006) Health-related quality of life in postpartum depressed women. *Arch Womens Ment Health*, 9(2): 95-102.
- Da Costa, D., Larouche, J., Dritsa, M. & Brender, W. (2000) Psychosocial correlates of prepartum and postpartum depressed mood. *J Affect Disord*, 59(1): 31-40.
- Declercq, E., Cunningham, D. K., Johnson, C. & Sakala, C. (2008) Mothers' reports of postpartum pain associated with vaginal and cesarean deliveries: results of a national survey. *Birth*, 35(1): 16-24.
- Dennis, C. L. & Ross, L. (2006) Women's perceptions of partner support and conflict in the development of postpartum depressive symptoms. *J Adv Nurs*, 56(6): 588-99.
- Depkes (2010) *Riset Kesehatan Dasar : Riskesdas 2010*, Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI
- Depkes (2011) *Lampiran Peraturan Menteri Kesehatan Nomor 2562/Menkes/Per/XII/2011 Tentang Petunjuk Teknis Jaminan Persalinan*, Jakarta Depkes.
- Depkes (2011a) Pedoman pelaksanaan Kelas Ibu Hamil, Jakarta: Depkes
- Depkes (2011b) Pegangan fasilitator Kelas Ibu Hamil, Jakarta: Depkes
- Diaz, B. A., Fent, T., Prskawetz, A. & Bernardi, L. (2011) Transition to parenthood: the role of sosial interaction and endogenous networks. *Demography*, 48(2): 559-79.
- Diknas (2008), *Penulisan Modul*, Direktur Tenaga Kependidikan Ditjen PMPTK, Jakarta
- Donati, S. & Grandolfo, M. E. (2003) Support for the resumption of sexual activity in the postpartum woman, a subject devoid of interest. *Ann Ist Super Sanita*, 39(2): 235-41.
- Elek, S. M., Hudson, D. B. & Bouffard, C. (2003) Marital and parenting satisfaction and infant care self-efficacy during the transition to parenthood: the effect of infant sex. *Issues Compr Pediatr Nurs*, 26(1): 45-57.
- Escobar, G. J., Braveman, P. A., Ackerson, L., Odouli, R., Coleman-Phox, K., Capra, A. M., Wong, C. & Lieu, T. A. (2001) A randomized comparison of home visits and hospital-based group follow-up visits after early postpartum discharge. *Pediatrics*, 108(3): 719-27
- Evans, M., Donelle, L. & Hume-Loveland, L. (2011) Sosial support and online postpartum depression discussion groups: A content analysis. *Patient Educ Couns*.

- Ferrans, C. E., Zerwic, J. J., Wilbur, J. E. & Larson, J. L. (2005) Conceptual model of health-related quality of life. *J Nurs Scholarsh*, 37(4): 336-42.
- Gameiro, S., Boivin, J., Canavarro, M. C., Moura-Ramos, M. & Soares, I. (2010a) Sosial nesting: changes in sosial network and support across the transition to parenthood in couples that conceived spontaneously or through assisted reproductive technologies. *J Fam Psychol*, 24(2): 175-87.
- Gjerdigen, D. K., Froberg, D. G. & Fontaine, P. (1991) The effects of sosial support on women's health during pregnancy, labor and delivery, and the postpartum period. *Fam Med*, 23(5): 370-5.
- Gulick, E. E. (2003) Adaptation of the postpartum support questionnaire for mothers with multiple sclerosis. *Res Nurs Health*, 26(1): 30-9.
- Gutke, A., Lundberg, M., Ostgaard, H. C. & Oberg, B. (2011) Impact of postpartum lumbopelvic pain on disability, pain intensity, health-related quality of life, activity level, kinesiophobia, and depressive symptoms. *Eur Spine J*, 20(3): 440-8.
- Haga, S. M., Ulleberg, P., Slanning, K., Kraft, P., Steen, T. B. & Staff, A. (2012) A longitudinal study of postpartum depressive symptoms: multilevel growth curve analyses of emotion regulation strategies, breastfeeding self-efficacy, and sosial support. *Arch Womens Ment Health*.
- Hammoudeh W., Mataria A., Wick L. & Giacaman R. (2009) In Search of Health: Quality of Life Among Postpartum Palestinian Women. *Expert Rev. Pharmacoeconomics Outcomes Res.*, 9(2): 123-132.
- Hermansen, I. L., O'Connell, B. O. & Gaskin, C. J. (2010) Women's explanations for urinary incontinence, their management strategies, and their quality of life during the postpartum period. *J Wound Ostomy Continence Nurs*, 37(2): 187-92.
- Hill, P. D. & Aldag, J. C. (2007) Maternal perceived quality of life following childbirth. *J Obstet Gynecol Neonatal Nurs*, 36(4): 328-34.
- Hill, P. D., Aldag, J. C., Hekel, B., Riner, G. & Bloomfield, P. (2006) Maternal Postpartum Quality of Life Questionnaire. *J Nurs Meas*, 14(3): 205-20.
- Hoedjes, M., Berks, D., Vogel, I., Duvekot, J. J., Oenema, A., Franx, A., Steegers, E. A. & Raat, H. (2011) Preferences for postpartum lifestyle counseling among women sharing an increased cardiovascular and metabolic risk: a focus group study. *Hypertens Pregnancy*, 30(1): 83-92.
- Hopkins, J. & Campbell, S. B. (2008) Development and validation of a scale to assess sosial support in the postpartum period. *Arch Womens Ment Health*, 11(1): 57-65.
- Huang, C. K , Chang, C. Y., Chang, Y. Y., Tai, C. M., Lin, J. T. & Wang, J. D. (2010) Cross-validation of the Taiwan version of the Moorehead-Ardelt Quality of Life Questionnaire II with WHOQOL and SF-36. *Obes Surg*, 20(11): 1568-74.
- Huang, K., Tao, F., Liu, L. & Wu, X. (2011) Does delivery mode affect women's postpartum quality of life in rural China? *J Clin Nurs*.
- Jirapaet Veena, Effects of an Empowerment Program on Coping, Quality of Life, and the Maternal Role Adaptation of Thai HIV-Infected Mothers, Journal of the Association of Nurses in AIDS care, Volume 11, Issue 4, July–August 2000, Pages 34-45

- Kararina, S.D., & Suyasa, P.S. (2005). *Hubungan persepsi terhadap dukungan suami dan penyesuaian diri istri pada kehamilan anak pertama*. Phornesis jurnal ilmiah dan terapan. Surabaya: Publikasi Fakultas Psikologi Universitas tarumanegara, 7, 414-563
- Kim, E. H., Lee, E., Kim, M. J., Park, D. Y. & Lee, S. H. (2010) [Effects of an educational program of pregnancy and delivery on pregnancy related knowledge, newborn care knowledge, and postpartum care self-efficacy of marriage immigrant women]. *J Korean Acad Nurs*, 40(1): 78-87.
- Kirkpatrick, D.L. (2009) *Evaluating Training Programs The Four Levels 4 st ed.* Sanfransisco: Berrett-Koehler Publishers, Inc.
- Lau, Y. & Yin, L. (2011) Maternal, obstetric variables, perceived stress and health-related quality of life among pregnant women in Macao, China. *Midwifery*, 27(5): 668-73.
- Leahy-Warren, P. & McCarthy, G. (2011) Maternal parental self-efficacy in the postpartum period. *Midwifery*, 27(6): 802-10.
- Leahy-Warren, P., McCarthy, G. & Corcoran, P. (2011) Postnatal depression in first-time mothers: prevalence and relationships between functional and structural sosial support at 6 and 12 weeks postpartum. *Arch Psychiat Nurs*, 25(3): 174-84.
- Leahy-Warren, P., McCarthy, G. & Corcoran, P. (2012) First-time mothers: sosial support, maternal parental self-efficacy and postnatal depression. *J Clin Nurs*, 21(3-4): 388-97.
- Lemeshow, S. Hosmer, D.W., Klar,J. & Lwanga, S.K. (1997) Besar Sampel dalam Penelitian Kesehatan Yogyakarta: *Gadjah Mada university Press*.
- Li, C. Y., Chen, S. C., Gau, M. L. & Huang, C. M. (2011) Randomised kontrolled trial of the effectiveness of using foot reflexology to improve quality of sleep amongst Taiwanese postpartum women. *Midwifery*, 27(2): 181-6.
- Lo, J., Osterweil, P., Li, H., Mori, T., Eden, K. B. & Guise, J. M. (2010) Quality of life in women with postpartum anal incontinence. *Obstet Gynecol*, 115(4): 809-14.
- Lu, I. C., Yen Jean, M. C., Lei, S. M., Cheng, H. H. & Wang, J. D. (2011) BSRS-5 (5-item Brief Symptom Rating Scale) scores affect every aspect of quality of life measured by WHOQOL-BREF in healthy workers. *Qual Life Res*, 20(9): 1469-75.
- Lu, Q., Uysal, A. & Teo, I. (2011) Need satisfaction and catastrophizing: explaining the relationship among emotional ambivalence, pain, and depressive symptoms. *J Health Psychol*, 16(5): 819-27.
- MacArthur C., Winter H. R., Bick D. E., Knowles H., Lilford R. J. & Henderson C. (2002) Effects of redesigned community postnatal care on women's health 4 months after birth: a cluster randomised kontrolled trial. *Lancet* 359378-385.
- Mahony, P. H., Griffiths, R. F., Larsen, P. & Powell, D. (2008) Retention of knowledge and skills in first aid and resuscitation by airline cabin crew. *Resuscitation*, 76(3): 413-8.
- Mautner, E., Greimel, E., Trutnovsky, G., Daghofer, F., Egger, J. W. & Lang, U. (2009) Quality of life outcomes in pregnancy and postpartum complicated by hypertensive disorders, gestational diabetes, and preterm birth. *J Psychosom Obstet Gynaecol*, 30(4): 231-7.

- Medina, A. M., Lederhos, C. L. & Lillis, T. A. (2009) Sleep disruption and decline in marital satisfaction across the transition to parenthood. *Fam Syst Health*, 27(2): 153-60.
- Nagpal, J., Dhar, R. S., Sinha, S., Bhargava, V., Sachdeva, A. & Bhartia, A. (2008) An exploratory study to evaluate the utility of an adapted Mother Generated Index (MGI) in assessment of postpartum quality of life in India. *Health Qual Life Outcomes*, 6107.
- Notoatmodjo, S. (2007) *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta: Rineka Cipta.
- Oomen, H., Rantanen, A., Kaunonen, M., Tarkka, M. T. & Salonen, A. H. (2011) Sosial support provided to Finnish mothers and fathers by nursing professionals in the postnatal ward. *Midwifery*, 27(5): 754-61.
- Penedo, F. J., Traeger, L., Benedict, C., Thomas, G., Dahn, J. R., Krause, M. H. & Goodwin, W. J. (2011) Perceived Sosial Support as a Predictor of Disease-Specific Quality of Life in Head-and-Neck Cancer Patients. *J Support Oncol*.
- Ramli M, Abdullah AAW, Saiful MIB, Hafi z MN and Fahmi AAZ, (2010), Determinants of Early Postpartum Psychological Reaction among Mothers in Kuala Lumpur, The International Medical Journal, Volume 9; Number 1, June 2010
- Reilly , E.T.C., Freeman, R.M., Waterfield, M.R., Waterfield, A.E., Steggles, P., Pedlar, F., Prevention of postpartum stress incontinence in primigravidae with increased bladder neck mobility: a randomised controlled trial of antenatal pelvic floor exercises, *BJOG: An International Journal of Obstetrics and Gynaecology*, Volume 109, Issue 1, January 2002, Pages 68-76
- Robertson, A. (2001b) Prenatal education. Time to lift our game. *Pract Midwife*, 4(1): 38-9.
- Safarinejad, M. R., Kolahi, A. A. & Hosseini, L. (2009) The effect of the mode of delivery on the quality of life, sexual function, and sexual satisfaction in primiparous women and their husbands. *J Sex Med*, 6(6): 1645-67.
- Salonen, A. H., Kaunonen, M., Astedt-Kurki, P., Jarvenpaa, A. L., Isoaho, H. & Tarkka, M. T. (2011) Effectiveness of an internet-based intervention enhancing Finnish parents' parenting satisfaction and parenting self-efficacy during the postpartum period. *Midwifery*, 27(6): 832-41
- Sangi-Haghpeykar, H., Mozayeni, P., Young, A. & Fine, P. M. (2008) Stress urinary incontinence and counseling and practice of pelvic floor exercises postpartum in low-income Hispanic women. *Int Urogynecol J Pelvic Floor Dysfunct*, 19(3): 361-5.
- Schwarzer, R. & Renner, B. 2000. Sosial-cognitive predictors of health behavior, action self-efficacy and coping self-efficacy. *Health Psychology*, 19 (5), 487-495
- Sugiyono (2011), *Metode Penelitian Kuantitatif, Kualitatif, dan R & D*, Penerbit Alfabeta, Bandung
- Suryawati C., (2007) Faktor Sosial Budaya dalam Praktik Perawatan Kehamilan, Persalinan, dan Pasca Persalinan (Studi di Kecamatan Bangsri Kabupaten Jepara) *Jurnal Promosi Kesehatan Indonesia* 2 (1): 21-31
- Symon, A. (2003) A review of mothers' prenatal and postnatal quality of life. *Health Qual Life Outcomes*, 138.

- Symon, A., Glazener, C. M., MacDonald, A. & Ruta, D. (2003a) Pilot study: quality of life assessment of postnatal fatigue and other physical morbidity. *J Psychosom Obstet Gynaecol*, 24(4): 215-9.
- Symon, A., MacDonald, A. & Ruta, D. (2002) Postnatal quality of life assessment: introducing the mother-generated index. *Birth*, 29(1): 40-6.
- Symon, A., MacKay, A. & Ruta, D. (2003b) Postnatal quality of life: a pilot study using the Mother-Generated Index. *J Adv Nurs*, 42(1): 21-9.
- Talley, A., Molix, L., Schlegel, R. J. & Bettencourt, A. (2010) The influence of breast cancer survivors' perceived partner social support and need satisfaction on depressive symptoms: a longitudinal analysis. *Psychol Health*, 25(4): 433-49.
- Tam WH, Lee DTS, Chiu HFK, Ma Wing Hung Tam, Dominic Tak Sing Lee, Helen Fung Kum Chiu, Kwok Chiu Ma, Albert Lee, Tony Kwok Hung Chung (2003) A randomised controlled trial of educational counselling on the management of women who have suffered suboptimal outcomes in pregnancy, *BJOG: An International Journal of Obstetrics and Gynaecology*, 110 (9): 853-859
- Teti, D. M., & Gelfand, D. M. (1991). Behavioral competence among mothers of infants in the first year: The mediating role of maternal self-efficacy. *Child Development*, 62, 918–929
- Thiagarajan, S., Semmel, D. S & Semmel, M. I. 1974. *Instructional Development for training Teachers of Exceptional Children*. Minneapolis, Minnesota: Leadership Training Institute/Special Education, University of Minnesota.
- Titaley, C. R., Dibley, M. J., Agho, K., Roberts, C. L. & Hall, J. (2008) Determinants of neonatal mortality in Indonesia. *BMC Public Health*, 8232
- Torkan, B., Parsay, S., Lamyian, M., Kazemnejad, A. & Montazeri, A. (2009) Postnatal quality of life in women after normal vaginal delivery and caesarean section. *BMC Pregnancy Childbirth*, 94.Turner, T. J., Barnes, H., Reid, J. & Garrubba, M. (2010) Evidence for perinatal and child health care guidelines in crisis settings: can Cochrane help? *BMC Public Health*, 10170
- van Stralen, G., van Stralen-Ruijten, L. L., Spaargaren, C. F., Broadbent, E., Kaptein, A. A. & Scherjon, S. A. (2010) Good quality of life after emergency embolisation in postpartum haemorrhage. *J Psychosom Obstet Gynaecol*, 31(4): 285-8.
- Webb, D. A., Bloch, J. R., Coyne, J. C., Chung, E. K., Bennett, I. M. & Culhane, J. F. (2008) Postpartum physical symptoms in new mothers: their relationship to functional limitations and emotional well-being. *Birth*, 35(3): 179-87.
- Webster, J., Nicholas, C., Velacott, C., Cridland, N. & Fawcett, L. (2010) Validation of the WHOQOL-BREF among women following childbirth. *Aust N Z J Obstet Gynaecol*, 50(2): 132-7.
- Weiss, M., Fawcett, J. & Aber, C. (2009) Adaptation, postpartum concerns, and learning needs in the first two weeks after caesarean birth. *J Clin Nurs*, 18(21): 2938-48.
- WHO (2005) *The world health report 2005: make every mother and child count*, Geneva: World Health Organization.

- WHO (2008b) *WHO Technical consultation on postpartum and postnatal care*, Geneva.
- WHO (2009) *Home visits for the newborn child: a strategy to improve survival*, Geneva: WHO Press
- WHO (2009) *WHO/UNICEF JOINT Statement, Home visits for the newborn child: a strategy to improve survival*, Geneva: WHO.
- Wilson, I. B. & Cleary, P. D. (1995) Linking clinical variables with health-related quality of life. A conceptual model of patient outcomes. *JAMA*, 273(1): 59-65
- Wong, J. & Fisher, J. (2009) The role of traditional confinement practices in determining postpartum depression in women in Chinese cultures: a systematic review of the English language evidence. *J Affect Disord*, 116(3): 161-9.
- Wong, W. S. & Fielding, R. (2007) Change in quality of life in Chinese women with breast cancer: changes in psychological distress as a predictor. *Support Care Cancer*, 15(11): 1223-30.
- Yanita. A., & Zumralita (2001) persepsi Perempuan Primipara tentang dukungan suami dalam usaha penanggulangi gejala depresi pascasalin. *Phornesis Jurnal ilmiah dan terapan*. Publikasi Fakultas Psikologi universitas Tarumanegara, 3, 23-40. Surabaya, Indonesia
- Zainur, R. Z. & Loh, K. Y. (2006) "Postpartum morbidity--what we can do". *Med J Malaysia*, 61(5): 651-6.
- Zhou, S. Z., Wang, X. L. & Wang, Y. (2009) Design of a questionnaire for evaluating the quality of life of postpartum women (PQOL) in China. *Qual Life Res*, 18(4): 497-508.
- Zubaran, C. & Foresti, K. (2011) Investigating quality of life and depressive symptoms in the postpartum period. *Women Birth*, 24(1): 10-6.
- Zubaran, C., Foresti, K., Schumacher, M. V., Muller, L. C. & Amoretti, A. L. (2009) An assessment of maternal quality of life in the postpartum period in southern Brazil: a comparison of two questionnaires. *Clinics (Sao Paulo)*, 64(8): 751-6.